





Thule Rapid System Kit 1653

> Instructions

KIA Picanto, 5-dr Hatchback, 04-10

KIA Picanto, 5-dr Hatchback, 11-

KIA Morning, 5-dr Hatchback, 11-



ISO 11154-E

141653


C.20121010
519-1653-01

Bring your life

thule.com



23 x2




597 x2




x1

24 x2





1171 x2



x1

1

	X (scale)	X (mm)	X (inch)
KIA Picanto , 5-dr Hatchback, 04-10	28	931	36 ⁵/₈
KIA Picanto , 5-dr Hatchback, 11-	29	941	37
KIA Morning , 5-dr Hatchback, 11-	29	941	37





	Y (scale)	Y (mm)	Y (inch)
KIA Picanto , 5-dr Hatchback, 04-10	28	931	36 ⁵/₈
KIA Picanto , 5-dr Hatchback, 11-	24,5	896	35 ¹/₄
KIA Morning , 5-dr Hatchback, 11-	24,5	896	35 ¹/₄


2

KIA Picanto, 5-dr Hatchback, 04-10

KIA Picanto, 5-dr Hatchback, 11-

KIA Morning, 5-dr Hatchback, 11-



3

	W (mm)	Z (mm)	W (inch)	Z (inch)
KIA Picanto , 5-dr Hatchback, 04-10	280	700	11	27 1/2
KIA Picanto , 5-dr Hatchback, 11-	250	650	9 7/8	25 5/8
KIA Morning , 5-dr Hatchback, 11-	250	650	9 7/8	25 5/8

